

Evidence series



The distinguished Evidence models are the culmination of years of extensive knowledge, in-depth research and development, and the most sophisticated loudspeaker technology.

DYNAUDIO



Evidence Master

Evidence Platinum

Evidence Temptation

Evidence Center

Evidence series

Data	Evidence Master	Evidence Platinum	Evidence Temptation	Evidence Center
Sensitivity	92dB (2.83V / 1m)	89dB (2.83V / 1m)	90dB (2.83V / 1m)	90dB (2.83V / 1m)
IEC power handling	600W	550W	500W	350W
Impedance	4Ω	4Ω	4Ω	4Ω
Frequency response (+/- 3dB)	27Hz – 26kHz	28Hz – 25kHz	29Hz – 25kHz	38Hz – 23kHz
Box principle	Bass reflex rear ported	Bass reflex rear ported	Bass reflex rear ported	Bass reflex rear ported
Crossover	3 (5) way	3 (5) way	3 (5) way	3 (4) way
Crossover frequency	(250Hz), 400Hz, 2500Hz, (7500Hz)	(290Hz), 480Hz, 2200Hz, (8500Hz)	(300Hz), 500Hz, 2300Hz, (8000Hz)	500Hz, 2300Hz, (5500Hz)
Crossover topology	1st order	1st order	1st order	1st order
Woofer	4 x 20cm MSP	4 x 18cm MSP	4 x 17cm MSP	2 x 17cm MSP
Midrange	2 x 15cm MSP	2 x 15cm MSP	2 x 15cm MSP	2 x 15cm MSP
Tweeter	2 x 28mm Esotar	2 x 28mm Esotar ²	28mm Esotar	2 x 28mm Esotar
Weight	135kg / 298lb	115.0kg / 253.5lb	113kg / 249lb	55kg / 121lb
Dimensions (W x H x D)	240 x 2050 x 580mm 9.4 x 80.7 x 22.8in	210 x 1940 x 510mm 8.3 x 76.4 x 20.1in	210 x 1933 x 490mm 8.3 x 76.1 x 19.3in	1222 x 210 x 464mm 48.1 x 8.7 x 18.3in
Dimensions with feet/grille (W x H x D)	450 x 2050 x 580mm 17.7 x 80.7 x 22.8in	390 x 1940 x 510mm 15.4 x 76.4 x 20.1in	390 x 1933 x 490mm 15.4 x 76.1 x 19.3in	1222 x 210 x 483mm 48.1 x 8.7 x 19in

Finishes/grilles: Black Piano Lacquer/Black, Bordeaux High Gloss/Black, Mocca High Gloss/Black and Rosewood Satin/Black



Evidence

Dynaudio's finest loudspeakers

Evidence
Designed,
engineered
and assembled
in Denmark

Learn more, get the latest tips and tricks and read our reviews on
[dynaudio.com](https://www.dynaudio.com) and facebook.com/dynaudiogroup

DYNAUDIO

Dynaudio A/S
Sverigesvej 15
8660 Skanderborg
Denmark

www.dynaudio.com

Product Series Insert, Evidence,
Item no. 45538206A

All text and image copyrights reserved
Subject to change without notice